

# Pocket Digital Vernier Caliper


Please read these instructions carefully and retain them for future use

## Technical Specifications

<b>Measuring range:</b>	0-75mm / 0-3in
<b>Resolution:</b>	0.01mm / 0.0005in
<b>Accuracy:</b>	±0.02mm / 0.001in (0 - 200mm)
<b>Display:</b>	LCD display. Character Height: 8mm
<b>Power:</b>	1 Alkaline battery 1.5V, type SR54 / AG10
<b>Working temperature:</b>	5 to 40 degree C, 41 to 104 degree F.
<b>Auto power off:</b>	5 Minutes

Your digital caliper is constructed using quality materials and workmanship and will give you many years of trouble free use when cared for as described in the 'Maintenance' section.

## Caliper Features



- |                            |                            |                              |
|----------------------------|----------------------------|------------------------------|
| 1. Outside measuring faces | 4. Main scale              | 7. Power ON/OFF switch       |
| 2. Inside measuring faces  | 5. Battery compartment lid | 8. ZERO switch               |
| 3. Step measuring faces    | 6. Display(LCD)            | 9. Inch/mm conversion switch |

## Instructions

### Inserting a battery

Remove the battery compartment cover (5) by sliding it upwards. Insert the button cell into the battery compartment with the positive terminal pointing upwards. Close the battery compartment with the cover (5).

### Measuring

- Switch on the display screen by pressing the On/Off button (7).
- Push the caliper completely together until the measuring surfaces (1) rest on top of each other.
- Press the zero button (8) to reset the display to 0mm.
- Press the mm/inch button to select between mm or inch measurement results.
  - Inner measurement:**
    - Position the measuring surfaces (2) onto the object to be measured.
    - Pull the caliper apart until the measuring surfaces (2) fit inside the object to be measured.
    - The measurement result is now displayed on the display screen (6).
  - Outer measurement:**
    - Pull the caliper apart until the object to be measured fits in between the measuring surfaces (1).
    - Push the caliper together again until the measuring surfaces rest flush with the object to be measured.
    - The measurement result is now displayed on the display screen (6).
- To conserve the battery life, switch off the meter after use by pressing the On/Off button.

